



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

October 15, 2013

Ms. Diana Packard
127 Quail View Lane
Walla Walla, Washington 99362

Re: Application for Change under Walla Walla River Adjudicated Certificate No. 198(A)

Dear Mr. Packard:

In response to your request, you are hereby granted an extension to complete construction for the reason(s) below:

According to your request, you are currently looking into the capacity of an existing well on an adjacent lot to provide water for this authorization. If this well does not provide the required water, then you propose to construct a new well in accordance with this authorization and complete the irrigation system. It appears that minimal progress has been made on this project. Be advised that the State Water Code requires that your project be pursued with diligence. It is important that construction of your project be completed within the time prescribed in the authorization. Your requested extension is for a reasonable period of time. We will grant you an additional two years to put water to full beneficial use.

The new deadline to submit your *Construction Notice* is **June 1, 2015**.

The well proposed in your request for extension located on adjacent Lot No. 2 may be added to this authorization provided it meets the requirements of *Showing of Compliance with RCW 90.44.100(3)*. See attached form.

An approved measuring device shall be installed and maintained for each of the sources authorized by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173. <http://www.ecy.wa.gov/programs/wr/measuring/measuringhome.html>

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Recorded water use data shall be submitted via the Internet. To set up an Internet reporting account, contact the Eastern Regional Office. If you do not have Internet access, you can still submit hard copies by contacting the Eastern Regional Office for forms to submit your water use data.

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.



YOUR RIGHT TO APPEAL

You have a right to appeal this action to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this document. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal, you must do the following within 30 days of the date of receipt of this document:

- File your appeal and a copy of this document with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this document on Ecology in paper form - by mail or in person. (See addresses below.) Email is not accepted.


You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel Road SW Suite 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

If you have any questions, please contact Dan Tolleson at 509-329-3526.

Sincerely,


Keith L. Stoffel
Section Manager
Water Resources Program
Eastern Regional Office

KLS/DT:md

Enclosures: Construction Notice
Your Right to Be Heard
Showing of Compliance with RCW 90.44.100(3)

I certify that I mailed this letter or an identical copy thereof, postage prepaid, to the above addressee(s) this 15th day of October, 2013.

Water Resources Program, Secretary Senior, Molly A. Davis .